




Puuzzi 8/1 C

The Puuzzi 8/1 C is a powerful entry-level spray extraction machine. The spray extraction machine can be used for upholstery cleaning or for removing stains on carpets. Because an extremely small amount of residual moisture remains after cleaning, cleaned carpets and upholstery can be quickly used again. Equipped as standard with a spray vacuum hose and ergonomic hand nozzle.



1 Low weight

- At 9.8 kg, the Puuzzi 8/1 C is easy to carry and 35% lighter than the competition. Ideal for intermediate cleaning, thanks to rapid drying.
- Easily transported, even over obstacles and stairs.



2 Compact design

- The Puuzzi 8/1 C also shows its strengths when cleaning upholstery and vehicle interiors.
- Compact, space-saving design.



3 Convenient handling and good accessibility

- Easily removable dirty water tank, easy disposal of dirty water and refilling of the fresh water tank.



4 User-friendly operation

- A large foot switch for ergonomic operation makes it easier to concentrate on the cleaning task.



Puzzi 8/1 C

- Foldable cable hook
- Large foot switch
- Accessory storage for hand nozzle

Technical data

Order no.	1.100-225.0	
EAN code	4039784962200	
Air flow	l/s	61
Vacuum	mbar / kPa	230 / 23
Spray rate	l/min	1
Spray pressure/back pressure	bar	1
Fresh/dirty water tank	l	8 / 7
Turbine capacity	W	1200
Pump power	W	40
Weight	kg	9.8
Dimensions (L × W × H)	mm	530 × 330 × 440
Voltage	V	220 - 240
Frequency	Hz	50 - 60

Equipment

Spray hose with integrated water feed	m	2.5
Integral accessory holder for manual nozzle		■
Power cord	m	7.5
Upholstery nozzle		■
Handle with trigger		■
Cable hook		■

■ Included in the scope of supply.

PUZZI 8/1 C 1.100-225.0

KÄRCHER



		Order no.	Quantity	ID	Width	Length	Price	Description	
Upholstery tools									
Upholstery nozzle	1	4.130-001.0	1 piece(s)	ID 32	110 mm			Upholstery nozzle, 110 mm.	■
Hand nozzle	2	4.130-116.0	1 piece(s)	ID 32	110 mm			Plastic, DN 32, with transparent window. For cleaning upholstery or small areas that are hard to reach with the floor tool.	□
Stair nozzle	3	4.130-128.0	1 piece(s)	ID 32	230 mm			Two-part, plastic coupling, short aluminium tube.	□
Spray/suction hoses									
Spray/suction hose, 2.5 m	4	6.394-826.0	1 piece(s)	ID 32		2.5 m		Standard spray/suction hose.	■
Spray extraction hose ID 32	5	6.391-411.0	1 piece(s)	ID 32	4 m			Spray suction hose, complete with robust quick connect plastic coupling, 4 m.	□
Spray/suction hose, 4 m	6	6.394-375.0	1 piece(s)	ID 32		4 m		Optional 4 m spray/suction hose.	□
Other									
Handle	7	4.130-000.0	1 piece(s)	ID 32				Enables quick change of floor, upholstery and crevice nozzles. With sight glass for checking the vacuumed dirty water. Adapters for spray and suction hose.	■
Defoamer dosage	8	4.006-907.0	1 piece(s)	ID 32				Container for defoamer solution.	□
Extension tube	9	4.025-004.0	1 piece(s)	ID 32	780 mm			Extension tube, individual.	□
Crevice nozzle	10	4.130-010.0	1 piece(s)	ID 32				Crevice nozzle for spray extraction cleaners.	□
D-handle	11	4.321-001.0	1 piece(s)					D-handle, individual, for extension tube 4.025-004.0. Adjustable without tools	□
Floor tools									
Flexible floor nozzle, 240 mm, complete	12	4.130-007.0	1 piece(s)	ID 32	240 mm			Kit consisting of floor nozzle (240 mm), suction pipe and D-handle. Transparent field of view for checking the vacuumed dirty water. Flexible squeegee.	□
Nozzle complete	13	4.130-127.0	1 piece(s)	ID 32	230 mm			Two-part, plastic coupling with aluminium tube.	□
Nozzle metal with packing	14	4.130-394.0	1 piece(s)	ID 32	230 mm			Two-part, quick connect plastic coupling, aluminium tube, metal nozzle.	□
Flexible floor nozzle, 240 mm, individual	15	4.130-008.0	1 piece(s)	ID 32	240 mm			Floor nozzle (240 mm), individual. Transparent field of view for checking the vacuumed dirty water. Flexible suction bar. Included in kit 4.130-007.0.	□
Stone carpet tools									
Stone carpet, hard-surface tool	16	4.130-117.0	1 piece(s)	ID 32	330 mm			Two-part, quick connect plastic coupling, wet floor nozzle (metal) with spray nozzle.	□
Hard surface adapters									
Hard floor rubber adapter, small 240 mm	17	4.762-014.0	1 piece(s)		240 mm			Hard surface adapter for floor nozzle, 240 mm.	□

■ Included in the scope of supply. □ Available accessories.